

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used
to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====
PRODUCT NUMBER: 105081
IDENTITY: POWER SHOT FRESH RAIN 12A Revision Date: 07/20/2004
-----

Section I

-----
Manufacturer's Name: ARIZONA AIR-SCENT, INC.\*\*\* Telephone No.:
Address: P.O. BOX 26327 Emergency:
SCOTTSDALE 800/255-3924
State: AZ Zip Code: 82555 Information:
480/502-4478
-----

DISTRIBUTED BY:
ProClean Inc.
4315 West Van Buren
Phoenix, AZ 85043
PHONE: 800.454.5544
FAX: 602.233.0769
-----

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 2 HEALTH: 1 PERSONAL
PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA
inventory.)

Table with 5 columns: Name, Cas No., OSHA PEL, ACGIH TLV, OTHER. Rows include ETHYL ALCOHOL, GLYCOL ETHER DE, PROPANE/N-BUTANE and several empty rows.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

```
=====
Boiling Point:          180          Specific Gravity (water=1) 0.88
Vapor Pressure(mm Hg)   20          Melting Point:  N/A
Vapor Density(AIR=1)    >1          Evaporation Rate:  >1
Solubility in Water:    40          (Butyl Acetate=1)
Appearance and Odor:    CLEAR SPRAY, REFRESHING SCENT
=====
```

Section IV: FIRE AND EXPLOSION HAZARD DATA

```
=====
Flash Point(Method Used):138F TCC Flammable Limits:  LEL:2.2
UEL: 27
Extinguishing Media:  STANDARD CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures:  WEAR SELF CONTAINED BREATHING
APPARATUS WHENEVER INDICATED
=====
```

Unusual Fire and Explosion Hazards: FLAMMABLE. CONTENTS UNDER PRESSURE.

EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 105081

```
=====
Stability: Unstable:          Conditions to avoid:
                Stable:  X          TEMPERATURES ABOVE 120 F
Incompatibility (Materials to Avoid):  STRONG ALKALIES. HIGH
TEMPERATURES IN THE PRESENCE OF STRONG BASES. ACIDS. STRONG OXIDIZING
AGENTS.
Hazardous Decomposition or Byproducts:  CARBON DIOXIDE AND/OR CARBIN
MONOXIDE
Hazardous Polymerization:          May Occur:          Will Not Occur: X
Conditions to Avoid:  TEMPERATURES ABOVE 120 F
=====
```

Section VI: HEALTH HAZARD DATA

```
=====
Routes of Entry:          Inhalation: YES          Skin: YES
Ingestion:NO
Health Hazards(Acute and Chronic):
INHALATION:  EXCESSIVE EXPOSURE MAY CAUSE SLIGHT DIZZINESS. EYES:
STRONG
IRRITATION REDDENING. SKIN:  MILD IRRITATION.
=====
```

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO  
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR.

