NOVEL CORONAVIRUS (COVID-19)

Cleaning and disinfecting guidance for a Dormitory Operating as a Field Hospital for COVID-19 Patients





TABLE OF CONTENTS

| Topic | Page |
|--|-------|
| About this Guidance | 3 |
| General Infection Prevention | 4 |
| Coronavirus (COVID-19) Overview | 5-7 |
| Steps to Protect Yourself and Others | 8-10 |
| Procedure Risk Profile | 11 |
| Hand Hygiene | 12-15 |
| Disinfection Overview | 16-18 |
| Guidelines & Procedures - Patient Room | 19-22 |
| Guidelines & Procedures - Public Areas | 23-24 |
| Guidelines & Procedures - Food Service | 25-29 |
| Guidelines & Procedures - Restrooms | 30-31 |
| Guidelines & Procedures - Laundry | 32 |
| Employee Guidelines | 33 |



ABOUT THIS GUIDANCE

<u>Dated 4/10/20:</u> The novel coronavirus is an emerging pathogen and the situation is constantly evolving. This guidance references CDC and WHO guidelines and is supplemented with Ecolab expertise.

For the most up-to-date information, please refer to <u>Centers for Disease Control and Prevention (CDC)</u>, <u>World Health Organization</u> or your local health authority.

This guidance is intended to help you and your staff shift operations from **dormitory to cleaning and disinfecting as a field hospital**. This involves additional focus on:

- Hospital-grade hand hygiene protocols
- Preparing rooms and public spaces
- Cleaning & disinfecting protocols for patient rooms during and after their stay
- Handling and processing of patient laundry vs guest laundry

Additional information:

- FEMA: ACE Hotel to Hospital
- CDC: Interim Guidance for Business and Employers
- CDC: Guidance for Cleaning and Disinfection
- CDC: Prevention in Communities, schools, healthcare settings and businesses

Contact your Ecolab representative for additional questions on products or procedures.



GENERAL INFECTION PREVENTION GUIDELINES

Preventative measures that may help prevent an outbreak of COVID-19 as well as other illnesses.



MONITOR NEWS AND ADVICE FROM PUBLIC HEALTH AGENCIES

Follow local public health recommendations related to local infection activity and need for isolation and closing.



IMPLEMENT GOOD INFECTION PREVENTION PRACTICES

Reinforce personal hygiene throughout your operation.

Provide hygiene materials such as tissues, hand soap and sanitizer.

Stock effective disinfectant products and follow protocols.



COMMUNICATE WITH AND MONITOR EMPLOYEES

Educate and inform employees.

Closely monitor employee health.

Have symptomatic employees stay home.



WHAT WE KNOW ABOUT **CORONAVIRUS (COVID-19)**

- Coronavirus disease (COVID-19) is a respiratory disease of international public health concern caused by a "novel coronavirus" not previously seen.
- The virus causes fever and respiratory symptoms.
- To date, the virus has infected greater than 1.4 million people, with thousands of reported deaths.
 - There may be more cases identified--access case counts here: Global Map of Confirmed Cases
- Public health authorities are actively investigating this outbreak and the situation is evolving.
 - Please follow local public health authority and World Health Organization guidance for the most up-to-date information.

Sources: (1) http://jiangsu.sina.com.cn/news/s/2020-01-15/detail-iihnzhha2508664.shtml

- (3) http://news.youth.cn/jsxw/202001/t20200115 12170407.html
- (4) https://www3.nhk.or.jp/nhkworld/en/news/20200116 46/
- (5) http://wjw.wuhan.gov.cn/front/web/showDetail/2020011609057
- (6) http://wjw.wuhan.gov.cn/front/web/list2nd/no/710
- (7) http://wjw.wuhan.gov.cn/front/web/showDetail/2020011909074






WHAT IS A CORONAVIRUS?

Coronaviruses (CoV) are a large family of viruses that cause illness ranging from the common cold to more severe diseases such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV).

A novel coronavirus (nCoV) is a new strain that has not been previously identified in humans.

Coronaviruses are transmitted between animals and people. Several known coronaviruses are circulating in animals that have not yet infected humans.

Common signs of infection include respiratory symptoms, fever, cough, shortness of breath and trouble breathing. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome, kidney failure and even death.





Field Hospital for COVID-19 Patients

HOW DOES CORONAVIRUS SPREAD?


It depends on the particular coronavirus.

Human coronaviruses <u>may</u> spread by respiratory droplets from an infected person to others through:

- The air by coughing and sneezing
- Close personal contact, such as touching or shaking hands
- Touching an object or surface with the virus on it, then touching your mouth, nose or eyes before washing your hands

Sources: (1) https://www.cdc.gov/coronavirus/about/transmission.html (2) https://www.cdc.gov/coronavirus/2019-nCoV/summary.html





Transmission from person to person is occurring with COVID-19. Surveillance continues.

STEPS TO HELP PROTECT YOURSELF AND YOUR EMPLOYEES, CUSTOMERS AND GUESTS

Public health recommendations focus on standard infection control practices, training and compliance.













Good News

Coronavirus is a small-enveloped virus. Enveloped viruses are the least resistant to disinfection, which means disinfectants can be used to effectively kill coronavirus on surfaces.





HOW TO PROTECT YOURSELF

There are currently no vaccines available to protect you against human coronavirus infection.

You may be able to reduce your risk of infection by doing the following:

- 1 Wash your hands often and correctly.
 - The World Health Organization recommends performing hand hygiene with soap and water or alcohol-based hand sanitizer if soap and water are not available.
- (2) Avoid touching your eyes, nose or mouth with unwashed hands.
- **3** Avoid close contact with people who are sick.
- 4 Avoid areas where live animals are being sold or raised in regions where excessive cases are being reported.
- 5 Wear a mask if directed by health care or local requirements.
- Seek medical advice immediately if you have a fever or other symptoms after traveling. Tell the doctor where you have traveled.





HOW TO PROTECT OTHERS

If you have cold-like symptoms, you can **help protect others** by doing the following:



Wear a mask if advised by healthcare experts or local requirements.



Wash your hands.



Stay home while sick.



Cover your mouth and nose.



Avoid close contact.



Contact a doctor immediately.



Clean and disinfect.



PROCEDURES BASED ON RISK PROFILE

Coronavirus

Ecolab recommends that customers take the following steps based on the risk profile of their operations. This 3-tiered guidance is informed by public health reports and our understanding of the scientific characteristics of underlying causes.

Primary focus for cleaning and disinfection when housing PATIENTS will be in the RED: Remediation Risk Level.


| LEVEL | GREEN: Standard Prevention | YELLOW: Risk Reduction | RED: Remediation | |
|-------------|---|---|---|--|
| DESCRIPTION | RISK PROFILE: No known outbreak in your geographic area | RISK PROFILE: The potential exists for an outbreak in your geographic area | RISK PROFILE: A publicly declared outbreak in your facility or region is disrupting normal business | |
| ACTIONS | Follow current procedures Regularly revisit training to ensure compliance Maintain standard hygiene and sanitizing/disinfection practices | Educate employees on infection control, PPE use and communicate Infection Control Procedures Assess your preparedness status and collaborate with vendor partners on response readiness Evaluate facility usage, lead times and stock shelf life and their impact on ordering supplies Increase frequency of standard procedures | Enhance procedures to respond to an outbreak in your facility, designed to break the chain of infection or illness Facilitate training for heightened procedures Perform heightened procedures using approved products Plan for deep cleaning and reopening procedures after down time or quarantine | |
| | Increase frequency of cleaning and disinfection of high-touch surfaces | | | |



HAND HYGIENE: PATIENT ROOM



Practice and follow the World Health Organization's 5 Moments of Hand Hygiene.



Hand Hygiene includes either cleansing hands with an alcohol-based hand rub (ABHR) or with soap and water ... Wash hands with soap and water when visibly soiled. Use ABHR only if not visibly soiled

Source: WHO, Infection Prevention & Control During Health Care When Novel Coronavirus (nCoV) Infection is Suspected



HAND HYGIENE – SOAP AND WATER World Health Organization




Practice and promote proper hand hygiene.



Wet hands and apply a generous amount of product to the palm of one hand.



Rub hands palm to palm to build lather.



Spread lather over the back of each hand with fingers interlaced



Rub palm to palm with fingers interlaced.



Grip the fingers on each hand and rub in a sideways back and forth movement.



Clasp each thumb in the opposite hand and rotate.



Press fingers into palm of each hand and rotate.



Rinse hands with water.



Dry hands thoroughly with a disposable towel.



Use towel to turn off tap.



Your hands are now clean.



use an alcohol-based hand sanitizer





HAND HYGIENE - HAND SANITIZER




Practice and promote proper hand hygiene.



Apply a generous amount of hand sanitizer to the palm of one hand, covering all surfaces.



Cover whole surface of hands, rubbing palm to palm.




Spread the sanitizer solution over the back of each hand including the wrists with fingers interlaced.



Rub palm to palm with fingers interlaced.



Grip the fingers on each hand and rub in a sideways back and forth movement.



Clasp each thumb in the opposite hand and rotate.



Press fingers into palm of each hand and rotate.




Once dry, your hands are sanitized.




PROPER GLOVING TECHNIQUES

How to **PUT ON** non-sterile gloves



How to **REMOVE** non-sterile gloves





DISINFECTION: NON-FOOD CONTACT HARD SURFACES

Clean and disinfect hard surfaces and **high-touch objects** with approved disinfectants. **Increase frequency as needed**.

- CDC: Use an EPA-registered, hospital disinfectant that has an emerging viral pathogens claim of efficacy.
- **EPA**: Confirm product EPA registration # is included on List N: Disinfectants for Use Against SARS-CoV-2.
- AORN: Reference the AORN Coronavirus Tool Kit for resources to support perioperative decision-making. Continue to focus on Recommended Best Cleaning Practices and focus on High Touchpoint Surfaces.



Pre-clean visibly soiled areas



Use a disinfectant with an EPA-approved emerging viral pathogen or coronavirus claim. Refer to the product label for complete directions for use.



Allow surface to remain wet for the time indicated in the directions for use on the product label.



List N: https://www.epa.gov/pesticide-registration/list-n-disinfectants-use-against-sars-cov-2

AORN: <u>Association of periOperative Registered Nurses</u>

DISINFECTION: FOOD CONTACT

During RED REMEDIATION: Clean and disinfect hard surfaces and high-touch objects with approved disinfectants. **Increase frequency as needed**.



Pre-clean visibly soiled areas to be disinfected



For an emerging viral pathogen, use a disinfectant with an EPA-approved emerging viral pathogen or coronavirus claim. Refer to the product label for complete directions for use.



Allow surface to remain wet for the time indicated in the directions for use on the product label.



Wipe the surface or allow to air dry.




Rinse the surface with potable water and sanitize using food-contact sanitizer according to label directions.

RED: REMEDIATION



HOW TO KNOW IF DISINFECTANTS ARE APPROVED FOR USE AGAINST NOVEL CORONAVIRUS

Find the EPA Registration Number on the product label




Not all products have a three-part EPA Registration Number.

Ecolab-owned registrations are only two-parts.



To verify your product is on the list of <u>EPA registered</u> antimicrobial products for use against novel coronavirus, match the first two parts of the EPA Registration Number.

Note: Searching by product or company name will not yield full approved list.



EPA list of registered antimicrobial products for use against novel coronavirus, the cause of COVID-19.

PATIENT ROOM GUIDELINES

Page 1 of 2

REMEDIATION PROCEDURES: PATIENT OCCUPIED **ROOMS**

- Avoid entering occupied rooms to clean and disinfect as much as possible, unless there is a need.
- Provide cleaning and disinfection materials to clinical professionals for high touchpoint and spot cleaning and disinfection.
- · It is recommended to close off areas used by the Patients and wait as long as practical before beginning cleaning and disinfection to minimize potential for exposure to respiratory droplets. See CDC Guidance on air exchanges. https://www.cdc.gov/infectioncontrol/guidelines/environmental/appendix/air.html#tableb1

Refer to product label for complete directions for use

CDC Isolation Precautions: https://www.cdc.gov/infectioncontrol/quidelines/isolation/index.html



CONSIDERATIONS

- Remove non-essential items out of the rooms prior to patient occupying room.
- Provide clinical professional chemicals to clean and disinfect occupied rooms.
- Provide clean sheets in designated pick-up area upon request.
- · Place dirty linen in designated area. Consider providing dissolvable bags for dirty linen.
- Provide Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.
- Isolate patients and follow public health recommendations for infection control.
- Follow all guidance as directed by public health authorities.



Specific high touchpoints

- ☐ Hard surface furniture & ☐ Alarm clock handles Safety latch and Door handles peephole
- Light switches Nightstands
- Thermostat
- Telephones and keypads
- Remote control
- Television

- ☐ Trash cans
- Faucets ☐ Sink
- Toilet
- ☐ Shower/tub
- Toilet paper dispenser Mirrors

- ☐ Key cards if applicable
- ☐ Bed rails if applicable Computer, keyboard, mouse - if applicable
- Medical equipment if applicable
- □ IV pole if applicable

PATIENT ROOM GUIDELINES

Page 2 of 2

REMEDIATION PROCEDURES: CLEANING AND DISINFECTION BETWEEN **PATIENTS**

- · Upon Patient checking out of the room, wait as long as practical before beginning cleaning and disinfection to minimize potential for exposure to respiratory droplets. See CDC Guidance on air exchanges.
 - https://www.cdc.gov/infectioncontrol/guidelines/environmental/appendix/air.html#tableb1
- Put on clean PPE, visually inspect room and restock supplies.
- Use an appropriate EPA-registered product with an emerging viral pathogen or coronavirus claim. Carefully read and follow label directions.
- Begin cleaning and **disinfecting** the room starting at the furthest point of the room from the door.
- Spray (and do not wipe) all restroom hard surfaces with multi-purpose disinfectant cleaner (toilet, urinals, sinks, countertops and fixtures) or bathroom disinfectant (shower/tub).
- Pick up debris and empty trash clean and disinfect trash can; replace trash liner if needed.
- Dust, clean and disinfect ALL hard surfaces in room with focus on high touchpoints.
- Return to bathroom after required disinfectant contact time to wipe/scrub and rinse hard surfaces starting with shower and ending with toilet. Refer to product label.

For isolation guidance see CDC's website: https://www.cdc.gov/coronavirus/2019ncov/community/home/cleaning-disinfection.html or https://www.cdc.gov/coronavirus/2019ncov/infection-control/control-recommendations.html

Refer to product label for complete directions for use

CONSIDERATIONS

- Remove non-essential items out of the rooms prior to patient checking in.
- Place dirty linen in designated area. Consider collecting dirty linen in dissolvable bags.
- Provide Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.
- Isolate patients and follow public health recommendations for infection control.
- Follow all guidance as directed by public health authorities.



Specific high touchpoints

- ☐ Hard surface furniture & ☐ Alarm clock handles ■ Safety latch and
- Door handles
- Light switches
- Nightstands Thermostat
- Telephones and keypads
- Remote control
- Television

- peephole
- ☐ Trash cans
- Faucets ☐ Sink
- Toilet
- ☐ Shower/tub
- Toilet paper dispenser
- Mirrors

- ☐ Key cards if applicable ☐ Bed rails - if applicable
- Computer, keyboard, mouse - if applicable
- Medical equipment if applicable
- □ IV pole if applicable



CDC Isolation Precautions: https://www.cdc.gov/infectioncontrol/guidelines/isolation/index.html

20

PATIENT ROOM PROCEDURES

Page 1 of 2

REMEDIATION PROCEDURES



Perform hand hygiene. Wear all necessary Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.



Pre-clean visibly soiled areas.



To disinfect, apply disinfectant per label, wipe non-porous surfaces making sure to wet thoroughly.



Make sure to focus on high-touch surfaces such as doorknobs, light switches, faucets, counter tops, tables, chair armrests, etc.



Allow the surfaces to remain wet for the time indicated in the directions for use on the product label. Allow surfaces to dry.



WHAT TOOLS DO YOU NEED?



Bottle of disinfectant & clean cloth



Specific high touchpoints

- ☐ Hard surface furniture & ☐ Alarm clock handles
- Door handles
- Light switches
- Nightstands ■ Thermostat
- Telephones and keypads
- Remote control
- Television

- Safety latch and peephole
- ☐ Trash cans
- Faucets
- ☐ Sink Toilet
- ☐ Shower/tub
- Toilet paper dispenser
- Mirrors

- Key cards if applicable
- ☐ Bed rails if applicable ☐ Computer, keyboard,
- mouse if applicable ■ Medical equipment - if applicable
- □ IV pole if applicable

PATIENT "EN SUITE" RESTROOM PROCEDURES

Page 2 of 2

REMEDIATION PROCEDURES



Perform hand hygiene. Wear all necessary Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.



Pre-clean visibly soiled areas to be disinfected.



To disinfect, apply **disinfectant** per label, wipe non-porous surfaces making sure to wet thoroughly.







Allow the surfaces to remain wet for the time indicated in the directions for use on the product label. Allow surfaces to dry.



WHAT TOOLS DO YOU NEED?



Bottle of disinfectant & clean cloth



> Specific high touchpoints

- Door & drawer handles
- Light switches
- Faucets
- ☐ Sink
- Toilet & flush handle

- Shower/tub
- ☐ Handrail if applicable
- Toilet paper dispenser
- Mirror

PUBLIC AREA GUIDELINES

Lobbies, entrances, hallways, fitness centers, etc.

REMEDIATION PROCEDURES

- Close off all non-essential public gathering areas such as bar, fitness center and pool to limit transmission, and remove unnecessary furniture.
- Pick up debris and remove gum from floor with putty knife or blunt-edged tool.
- Empty and disinfect trash can and replace can liner.
- Increase frequency of hard surface disinfection using an appropriate EPA-registered product with an emerging viral pathogen or coronavirus claim. Refer to product label for directions for use.
- Clean and disinfect all hard surfaces including high-touch surfaces.
- · Clean glass and windows.
- Refill air freshener and hand sanitizer dispensers as needed; disinfect dispensers regularly.
- Vacuum soft-surfaced floors (carpet/rug/walk-off mat); sweep then mop hardsurfaced floors (tile/wood/LVT).
- Consider providing alcohol-based hand sanitizers in public areas especially near touchpoints.

* Per the CDC, this should remove or inactivate the virus that causes COVID-19 Refer to product label for complete directions for use





Employees

CONSIDERATIONS

- Provide Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.
- · Provide hand sanitizer in high traffic areas.
- · Consider increasing pool chemical testing and adjust as needed.
- · Follow all guidance as directed by public health authorities.

Specific high touchpoints

- Door/drawer handles
- Door push plates
- Drinking fountains
- Light switches
- Elevator buttons
- ☐ Gym equipment and machines
- Telephones and keypads

- ☐ Thresholds and hand railings
- Tables and chairs
- ☐ Coffee and beverage stations
- Vending and ice machines
- Concierge
- Trash cans
- ☐ Key cards

PUBLIC AREA PROCEDURES

Lobbies, entrances, hallways, fitness centers, etc.

REMEDIATION PROCEDURES



Perform hand hygiene. Wear all necessary Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.

Place work area sign. Pick up debris from floor. Empty trash cans.







Clean and **disinfect** all hard surfaces including high touch points by applying **disinfectant** per label and wiping surface. **Allow** product to sit on the surface for the **time** specified by product label. Wipe down all surfaces using a microfiber cloth. For electronics, spray cloth and wipe surface.





Check and refill any hand sanitizer dispensers if needed. Sweep carpets and hard floors if needed. Replace trash can liners.



WHAT TOOLS DO YOU NEED?





Bottle of disinfectant & clean cloth



Specific high touchpoints

- Door/drawer handles
- Door push plates
- Drinking fountains
- ☐ Light switches
- Elevator buttons
- ☐ Gym equipment and machines
- ☐ Telephones and keypads

- ☐ Thresholds and hand railings
- Tables and chairs
- ☐ Coffee and beverage stations
- Vending and ice machines
- Concierge
- ☐ Trash cans
- ☐ Key cards



FOODSERVICE GUIDELINES

Food Contact Surfaces



REMEDIATION PROCEDURES

- Clear surfaces of objects, food debris and other items.
- Clean and disinfect entire counter / food preparation surfaces using an EPAregistered product with an emerging viral pathogen or coronavirus claim frequently.
- Rinse with clean potable water using a clean cloth and allow to air dry.
- Sanitize surface with food contact sanitizer according to label directions for use. OR
- Follow standard operating procedures for washing items in the dishmachine.
- Follow your standard procedures to sanitize ware through low- and high- temperature dishmachines or a 3-compartment sink.

CONSIDERATIONS

- · Use disposable ware, if possible.
- · Provide Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.
- · Reinforce all personal hygiene requirements, with special attention to hand hygiene. Refer to food code and hand hygiene procedures.
- Perform training, reinforcing cleaning, sanitizing, and disinfection procedures.
- Increase frequency of cleaning and disinfection of "high-touch" hard surfaces.
- Follow all guidance as directed by public health authorities, especially in regards to food handling via take-out or room-service.

Specific high touchpoints

- Tables
- ☐ Ice machine/bucket and scoop
- ☐ Handles of all the equipment doors
- Operation push pads ☐ Food prep tools and equipment (e.g.,☐ Highchairs
 - Bar top and tools
 - Door handles
- bowls), ☐ Plates and flatware, glassware

cutting boards, knives, mixing



FOODSERVICE PROCEDURES

Back of the House/Kitchen - Food Contact Surfaces

REMEDIATION PROCEDURES



Perform hand hygiene. Wear all necessary Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.

Clear counters / food preparation surfaces of all dishware, food debris and other items.



Using a spray bottle and clean cloth, clean and **disinfect** entire counter / food preparation surfaces using **disinfectant**. Allow product to sit on the surface for time specified by the product label.





Rinse with clean potable water using a clean cloth and allow to air dry.

Repeat Steps 2 and 3 for all surfaces in the back of house / kitchen area where food and drinks are prepared. Be certain to clean and disinfect all edges of counters / food preparation surfaces.

Use a **food-contact sanitizer** to sanitize counter / food preparation surfaces with either a clean cloth and pail application (damp, wrung-out cloth) or spray bottle application (spray surface, do not wipe dry). Allow to sit on surface for time specified by product label. Allow to air dry before returning to use.





WHAT TOOLS DO YOU NEED?



Bottle of disinfectant & clean cloth



Bottle of "food-contact" sanitizer and clean cloth or bucket with clean cloth

Specific high touchpoints - Food Contact:

- Tables
- ☐ Ice machine/bucket and scoop
- ☐ Food prep tools and equipment (e.g., cutting boards, knives, mixing bowls),
- Plates and flatware, glassware
- ☐ Handles of all the equipment doors and operation push pads
- Highchairs
- Bar top and tools



FOODSERVICE GUIDELINES

Non-Food Contact Surfaces



- Increase frequency of hard surface disinfection using an appropriate EPA-registered product with an emerging viral pathogen or coronavirus claim. Refer to product label for directions for use.
- Clean surfaces with a multi-purpose cleaner or manual detergent, then disinfect using an appropriate EPA-registered product with an emerging viral pathogen or coronavirus claim
- To disinfect high tough points:
 - Pre-clean visibly soiled areas.
 - Spray disinfectant on surface making sure to wet thoroughly.
 - Allow the surfaces to remain wet for the time indicated in the directions for use on the product label.
 - Wipe the surfaces or allow to air dry.

Refer to product label for complete directions for use





CONSIDERATIONS

- Provide Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.
- Reinforce all personal hygiene requirements, with special attention to hand hygiene. Refer to food code and hand hygiene procedures.
- Perform training, reinforcing cleaning, sanitizing, and disinfection procedures.
- Follow all guidance as directed by public health authorities, especially in regards to food handling via take-out or room-service.

Specific high touchpoints - Non-Food Contact:

- Door/drawer handles
- Equipment door push plates
- Walk-in refrigerator/freezer plastic curtains
- Light switches
- ☐ Faucets/faucet handles
- Cupboards

- Dispenser handles/push plates
- ☐ Towel dispenser handle at handwash sink
- ☐ Trash receptacle touch points
- ☐ Cleaning tools/buckets
- ☐ Phone handset & keypad
- Computers
- ☐ Room service/delivery carts

FOODSERVICE PROCEDURES

Back of the House/Kitchen - Non-Food Contact Surfaces

REMEDIATION PROCEDURES



Perform hand hygiene. Wear all necessary Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.

Using a **disinfectant** and clean cloth, clean and **disinfect** entire counter / food preparation surfaces. Allow product to sit on the surface for time specified by the product label.



Restock paper products and soap dispensers as needed. Clean / disinfect exterior of dispensers.



Empty trash cans. Clean and **disinfect** trash receptacle touch points allowing surface to sit on the surface for the time specified by product label. Replace trash can liners.



Place a work area sign before cleaning floors. Clean floors with mop using "figure 8" motion. Flip mop when first side is soiled. Rinse when both sides are soiled.





WHAT TOOLS DO YOU NEED?



Dustpan/Broom Work Area Sign



Bottle of disinfectant & clean cloth

Specific high touchpoints - Non-Food Contact:

- Door/drawer handles
- ☐ Equipment door push plates
- Walk-in refrigerator/freezer plastic curtains
- ☐ Light switches
- Faucets/faucet handles
- Cupboards

- ☐ Dispenser handles/push plates
- ☐ Towel dispenser handle at handwash sink
- ☐ Trash receptacle touch points
- ☐ Cleaning tools/buckets
- ☐ Phone handset & keypad
- Computers

FOOD DELIVERY GUIDELINES

REMEDIATION PROCEDURES

- Keep hot food hot and cold food cold, and minimize the length of time food is out of temperature control
- Keep equipment and cart clean.
- Wash hands with soap and warm water for 20 seconds before collecting food from the pick-up location.
- Place raw animal food, unpackaged produce, and ready-to-eat food items into separate delivery packages to prevent cross-contamination.
- Stay at home if you have a fever, runny nose, cough, sneezing or other respiratory symptoms, or if you believe you are sick.
- Maintain a distance of 6 feet from others and food recipients.
- Clean and disinfect cart between each delivery using an appropriate EPA-registered product with an emerging viral pathogen or coronavirus claim. Refer to product label for directions for use
- Process dishes and ware in ware in dishmachine or 3-compartment sink, following local health codes.

Refer to product label for complete directions for use

For more information, please see the FDA's Coronavirus FAQ here.



CONSIDERATIONS

- According to the FDA, currently there is no evidence of food or food packaging being associated with transmission of COVID-19.
- Provide Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.
- · Use disposable ware, if possible.
- · Keep hand sanitizer on cart for use when handwash sink is unavailable.
- · Keep cleaning product, disinfectant, and paper towels available on cart for cleaning and disinfection of carts and other "high-touch" surfaces.
- Increase frequency of cleaning and disinfection of "high-touch" hard surfaces.
- Consider offering a no-contact delivery option, which means orders will be left in designated area for delivery by clinical staff.
- Have clinical staff place used/dirty dishes outside their rooms or in designated collection area.
- · Avoid touching your face with unwashed hands.
- Follow all guidance as directed by public health authorities.

Specific high touchpoints

- Cart handles and surfaces
- Door handles

Handheld devises


RESTROOM GUIDELINES

REMEDIATION PROCEDURES

- Increase frequency of hard surface disinfection using an EPA-registered disinfectant with an emerging viral pathogen or coronavirus claim. Carefully read and follow label directions.
- Place wet floor sign at entrance.
- Evaluate restroom and remove debris from floors and counters.
- Clean and disinfect all bathroom hard surfaces with registered disinfectant toilet, urinals, sinks, shower/tub, countertops and fixtures.
- · Clean mirrors, glass and windows.
- Clean and disinfect all bathroom hard surfaces and high touch points after required disinfectant contact time. Refer to product label.
- · Scrub toilet and urinals.
- Clean and disinfect floors and apply odor control product (as needed).
- Inspect for quality and remove floor sign when floor is dry.
- Restock supplies and empty trash.

Refer to product label for complete directions for use





Employees

CONSIDERATIONS

- Close all public/common area restrooms, if possible.
- Provide Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.
- Provide alcohol-based hand sanitizer outside of public restrooms.
- Ensure hand soap is properly stocked.
- Follow all guidance as directed by public health authorities.

Specific high touchpoints

- Door handles
- Bathroom stalls (latch) fixtures
- ☐ Toilet and urinal handles
- ☐ Towel and soap dispensers
- Hand dryers
- Baby changing station

- ☐ Trash can
- Countertops
- ☐ Feminine hygiene receptacle
- ☐ Toilet paper dispensers
- Other

RESTROOM PROCEDURES

REMEDIATION PROCEDURES



Perform hand hygiene. Wear all necessary
Personal Protective Equipment (e.g., gloves,
gowns, masks) as directed by local and federal
public health authorities for employees and infected
individuals. Place wet floor sign at entrance, Remove
debris from floors and counters. Empty trash cans.

Pre-treat toilets and urinals (inside and outside), sinks, countertops, and fixtures. Clean mirrors, glass, and windows with **disinfectant** wiping down the surfaces. Allow product to sit on the surface for time specified by product label.



Apply **disinfectant** to high touchpoints per label. Wipe the surface to clean and **disinfect** sinks, countertops, fixtures, high touch point items, toilets and urinals last. Allow product to sit on the surface for time specified by product label.





Finish cleaning and **disinfecting** toilets and urinals. Clean floors with mop using "figure 8" motion. Flip mop when first side is soiled. Rinse when both sides are soiled. Replace trash can liner and restock supplies as needed including toilet paper, paper towels, hand soap, and/or air freshener cartridges.





Refer to product label for complete directions for use



WHAT TOOLS DO YOU NEED?



Wet Floor Sign



Bottle of disinfectant & clean cloth



Toilet Brush



Mop and Mop Bucke

Specific high touchpoints

- Door handles
- Bathroom stalls (latch) fixtures
- Toilet and urinal handles
- Towel and soap dispensers
- Hand dryers
- Baby changing station

- Trash can
- Countertops
- ☐ Feminine hygiene receptacle
- Toilet paper dispensers
- Other

LAUNDRY GUIDELINES

REMEDIATION PROCEDURES

- Use all appropriate clean personal protective equipment handling laundry.
- Consider using gloves, gowns and dissolving bags for laundry collection.
- Collect laundry with minimum agitation, do not shake or "hug" and avoid direct contact of the skin and clothes with the contaminated laundry.
- Dirty laundry should be placed into bags or carts for transport labeled "dirty linen".
- Place dirty linen in designated area to be picked up and washed.
- Avoid clean laundry contact with floors, walls or dirty carts.
- Clean and disinfect carts after each load.
- Clean and disinfect all equipment, carts, tables and floors at the end of the day.
- Linen should be processed as "hospital linen".



CONSIDERATIONS

- Provide Personal Protective Equipment (e.g., gloves, gowns, masks) as directed by local and federal public health authorities for employees and infected individuals.
- Laundry movement should be one-way (i.e., dirty in and clean out).
- Do not use the same gloves when handling clean and dirty laundry.
- Follow proper hand hygiene procedures before and after glove use.
- Follow all guidance as directed by public health authorities.

Specific touchpoints

- Laundry Carts
- Door handles
- Folding tables and shelves

- Washer controls and seals
- Drver controls
- Light switches



Patient Rooms | Public Areas | Foodservice | Restrooms | Laundry | Employees

EMPLOYEE GUIDELINES

- Reinforce personal hygiene and cough etiquette.
- Closely monitor employee health and have symptomatic employees stay home per company illness policy.
- Identify critical staff members and functions develop a business continuity plan. Consider the ability for employees to work from home.
- Provide hygiene materials such as tissues, hand soap and sanitizer.
- Have employees disinfect all personal hard surfaces as referenced on the product label.
- Educate and inform all employees of pandemic status and proper infection control procedures.



Make sure your team knows:



To **stay home if ill** per your company illness policy



To contact you if:

- They were exposed to someone confirmed to have COVID-19
- They reside in a restricted area



How to limit exposure by avoiding large gatherings and close contact with people who are coughing or sneezing.



How to keep business operationally ready during shutdown or quarantine:

 Make sure regular cleaning and disinfection continues to take place.

For more information visit ecolab.com/coronavirus

